

[H.325(3)]

ITU-T SG16
 ITU-T , SG16 가 가
 WP2
 2005 11 SG16 WP2 16 41
 가가 VoIP(Voice over IP)
 H.325(3)

H.325

1 (~1992) H.320(ISDN), H.321(B-ISDN H.320),
 H.322(QoS 가 LAN) , 2
 (1992~2005) H.323(IP-based Multimedia System),
 H.324(Narrowband/Wireless Multimedia), H.310(Native B-ISDN system), SIP(Session
 Initiation Protocol) 3
 (2006~) H.325(NGN Multimedia System) , NGN

H.325 10 2 ITU-T SG16
 NGN

, H.325 capability exchange, , UNI

NNI

- H.323 가 update가
- SIP 가 parsing logic
- NAT/FW IP 가
- QoS, , lawful interception, , management 가
- On-demand 가 가 IP 가
- (endpoint) intelligence
- , 가 가 ,

- feature , , NAT/FW, feature
- 가
- H.325 2006 , 2007
- H.325
- H.325 flexibility, feature control, management, provisioning
- intelligence autonomy 가
- primitive
- feature ,
- IT manager 가
- (UI), LCD , 10
- key ,
- H.245 capability
- ,
-
- management provisioning
- call
- lawful intercept가 가
- QoS (,)
- SLA(Service Level Agreement) ,
- policy
- , , ,
- CPE(Customer Premises Equipment), ,
- Privacy 가
- PSTN seamless interworking (, ISUP)

- NAT/FW
- IPv6
- Downloadable/Plug-in

-
- Conferencing
- Accessibility가
- H.325
- (Simplicity) 가
- Primitive

H.325 가 . ITU-
 T SG16 2006 4 3 13 ,
 H.325 가 . 2006 5 9
 11 San Diego "H.323, SIP, and what's next"
 (SG16 IMTC), H.325

(, shjeong@hufs.ac.kr)