[IT ] W3C

W3C	<b>;</b>	(W3C UI	oiquitous Web A	application Work	ing Group)
W3C	2007 3 30	)			
(Ubi	quitous Web Applic	ation Activity)	(		) , 가
	, , RF	ID		(effector) 가	, 7
			가	71	
	(Device Inde	pendence Working		·	
(rem	ote eventing),	(c	device coordina	ation)	
	nt-based events)	( -		,	
2007				,	
	DIAI (Device Indepen	Nent Authoring Langu	lane)		
-	DIAL(Device Independent Authoring Language)  DISelect(Content Selection for Device Independence)				
-	DCCI(Delivery Context: Client Interfaces)				
-	CC/PP(Composite Capability/Preference Profiles) 2.0				
	,	2007 8			
• Re	mote Events for XMI	. (REX) 2			
REX	( 1 Web API				, 2
	UWA	. R	ΕX	XML	
가		가			
REX	2	DOM3(Document Object Model Level 3)			

rex event DOM3 **XML** 가 9 (Resource Binding Interface) DCCI(Delivery Context: Client Interfaces) 가 use case, • DCCI (Delivery Context: Client Interfaces) DCCI (Candidate Recommendation) (Property) (Capability) (Policy based layout and behavior) (Delivery Contexts) (Markup), (Stylesheet), (Script) 9 (Intent based events) WAI-PF(Web Accessibility Initiative Protocols and Formats) XHTML2

, wslee@etri.re.kr)

(